Wednesday, 10/11/2006 12:50:27 PM Date: Kim Johnston User: **Process Sheet** : BRACKET **Drawing Name** : CU-DAR001 Dart Helicopters Services Customer Job Number : 28941 **Estimate Number** : 11139 : D32051 41U: **Part Number** P.O. Number S.O. No. : NA : D3205 REV A : 10/11/2006 **Drawing Number** This Issue : N/A Project Number Prsht Rev. : MACHINED PARTS **Drawing Revision** Type First Issue :P(M : 25964 Material **Previous Run** Each : 10/30/2006 Qty: 8 Um: **Due Date** Written By Checked & Approved By : Est Comment New issue KJ/RF **Additional Product** Job Number: Description: **Machine Or Operation:** Seq. #: 7075-T73 Bar 2.5 x 3.25" M7075T73B2500X0325 1.0 3.0626 f(s) Comment: Qty.: Total: 0.3828 f(s)/Unit 7075-T73 Bar 2.5 x 3.25" Material: 7075-T73 (QQ-A-200/11 or QQ-A-250/12) or 2024-T3 (QQ-A-200/3 or QQ-A-250/4) (M7075T73B2.500x03.25) Identify for D3205-1 11.10,2694 Batch: BAND SAW BAND SAW 2.0 Comment: BAND SAW Cut blanks: 3.250" x 2.500" x 4.250" long Bar (+0.030/-0.000) HAAS CNC VERTICAL MACHINING #1 3.0 Comment: HAAS CNC VERTICAL MACHINING #1 Machine D3205-1 as per Folio FA346 and Dwg D3205 Identify as D3205-1 **Deburr and Tumble** 0 J.F. 06/11/23 4.0 QC2 Comment: INSPECT PARTS AS THEY COME OFF MACHINE SECOND CHECK QC8 5.0 9 Comment: SECOND CHECK

Dart Aerospace Ltd

W/O:		WORK ORDER CHAN	GES			·	
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
			,				
				-			
Part No):	PAR #: Fault Category:	NCR: Yes	s (No) [DQA D	Date: 👌	6/12/08
			QA:	N/C Clo	sed:	🎍 Date: _	

		WORK ORE	DER NON-CONFORMANO	E (NCR)			
	Description of NC	,	Corrective Action Section B		Verification	Approval	Approval
STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	Approval QC Inspecto
	10						
					-	·	
	•				·		
			u.				
	:		ė				
			į.				
	STEP	STEP Description of NC	STEP Description of NC Section A Initial	STEP Description of NC Section A Initial Action Description Chief Eng Chief Eng	STEP Description of NC Section A Initial Action Description Chief Eng Chief	STEP Section A Initial Chief Eng Action Description Chief Eng Chie	STEP Description of NC Section A Initial Chief Eng Chief

NOTE: Date & initial all entries

Wednesday, 10/11/2006 12:50:27 PM Date: User: Kim Johnston **Process Sheet** Drawing Name: BRACKET Customer: CU-DAR001 Dart Helicopters Services Part Number: D32051 Job Number: 28941 Job Number: Seq. #: Description: **Machine Or Operation:** HAND FINISHING RESOURCE #1 HAND FINISHING1 6.0 Comment: HAND FINISHING RESOURCE #1 SAO Chemical Conversion Coat as per QSI 005 4.1 POWDER COATING 7.0 M19720 Comment: POWDER COATING Powder Coat Grey Sandtex (Ref: 4.3.5.6) as per QSI 005 4.3 Note: Cover the thread hole for D3205-1 before powder coat. INSPECT POWDER COAT/CHEMICAL CONVERSION 8.0 Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION PACKAGING RESOURCE #1 9.0 PACKAGING 1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: FINAL INSPECTION/W/O RELEASE .10.0 CTION/W/O RELEASE Comment: FINAL IN a 06.1228 Job Completion

Dart Aerospace Ltd

Dait Ac	Ospaci	5 Ltu							
W /O:		·	WC	RK ORDER CHANG	GES				
DATE	STEP		OCEDURE CHA	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		•				-			
				•					
Part No	·	PAR #:	Fault Cate	jory:	NCR: Yes	No DQA	۸:	Date:	
				· .	QA:	N/C Closed	l:	Date:	
NCR:			WORK ORDE	R NON-CONFORM	ANCE (NC	R)			
DATE	STEP	Description of NC			ction B	Verific	ation	Approval	Approval
DAIL	SIEF	Section A	Initial Chief Eng	Action Description Chief Eng	Sign Date	& Section		Chief Eng	QC Inspector
		•							
	-							!	,
		. ,							

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	28941
Description: Pedal Bracket	Part Number:	D3205-1
Inspection Dwg: D3205 Rev: A		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

X	First Article	Prototype
	Actual	84-41

Drawing	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Dimension						
1.100	+/-0.010	1.100	/			
0.250	+/-0.010	.251				
R0.37	+/-0.030	.375				
0.125	+/-0.010	. 126				
0.250	+/-0.010	.253				
2.380	+/-0.010	2.373				
1.380	+/-0.005	1.380				
0.500	+/-0.005	.497				
0.880	+/-0.010	. 882				
Ø0.470 x 100°	+0.005/-0.000	8,470·	i i			
0.440	+/-0.005	.440	1			
0.600	+/-0.005	.600				
1/4-28UNF-313	N/A	14-28				
0.250	+/-0.010	.240				
Ø0.257	+0.005/-0.000	259				
1.750	+/-0.010	1.751				
0.870	+/-0.005	. 870	/,			
0.440	+/-0.005	. 441		-		
R0.25	+/-0.030	.250				
-	-					
	r .					
		4				
	•					

Measured by:	JUJF	Audited by:	En	Prototype Approval:	N/A
Date:	06/11/22	Date:	06/11/27	Date:	N/A

Rev	Date	Change	Revised þ <u>y</u>	Approved
Α	05.02.17	New Issue	KJ/JLM	Cull
			, ()	






OHEC			
CHEC	KED, APPROV	DRAWING NO.	REV. A SHEET 1 OF 2
DATE		TITLE	SCALE
04.	01.27	BRACKET	1:2

SUBJECT TO AND TO

WITHOUTNOTICE



NOTES:

- 1) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 2) MATERIAL: 7075-T73 (QQ-A-200/11 OR QQ-A-250/12)
- OR 2024-T3 (QQ-A-200/3 OR QQ-A-250/4)
 3) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- POWDER COAT GREY SANDTEX (REF. 4.3.5.6) PER DART QSI 005 4.3 4) ENGRAVE DART P/N & LOGO AS SHOWN 5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

- 6) ALL DIMENSIONS ARE INCHES

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



A	4	
CHECKED.	APPROVED	DRAWING N
=	#	D3205
DATE		זוורנ
04.01.27		BRACKE

SHEET 2

읶

2.380 R0.25 1.380 - 0.250 0.500 0.89 D3205-3 0.870 1.750 R_{0.13} 40° (TYP) Ø0.257 (3 PLS) 0.440 -

D3205-3 BACK PLATE

SHOP COPY

SUBJECT TO AMENDMENT

1) BREAK ALL SHARP EDGES 0.005 TO 0.015

2) MATERIAL: 6061-T6 (QQ-A-200/8 OR QQ-A-250/11 OR QQ-A-225/8) ALUMINUM BAR (M6061T6B)

3) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 POWDER COAT GREY SANDTEX (REF. 4.3.5.6) PER DART QSI 005 4.3

4) ENGRAVE DART P/N AS SHOWN
5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
6) ALL DIMENSIONS ARE INCHES